


OS32G-63G


1SCC311036M0203

Document no. 34OS32G-63G C

OS32G-63G_






OS32G-63G_01-04



OS32G-63G



OS32G-63G_11-22



	OS32-63G_				OS32-63G_				OS60G_			
	mm				mm				mm / in			
	D11	D12	D13	D22	B/F11	B/F12	B/F13	B/F22	J11	J112	J13	J22
A	91	114,5	138	138	91	114,5	138	138	74,5/2,93	148/5,82	183,5/7,20	179,5/8,58
B	120,5	120,5	120,5	120,5	108,5	108,5	108,5	108,5	118/4,65	118/4,65	118/4,65	118/4,65
C	-	23,5	23,5	23,5	-	23,5	23,5	23,5	-	35/1,38	35/1,38	35/1,38
D	60	60	60	60	60	60	60	60	71,5/2,81	71,5/2,81	71,5/2,81	71,5/2,81
E	30	30	30	30	30	30	30	30	36/1,41	36/1,41	36/1,41	36/1,41
F	44	44	44	67,5	44	44	44	67,5	55,5/2,19	55,5/2,19	55,5/2,19	90,5/3,56
G	74	74	74	97,5	74	74	74	97,5	91,5/3,6	91,5/3,6	91,5/3,6	126,5/4,98
A1	70	93,5	117	117	70	93,5	117	117	81,5/3,21	116,5/4,59	151,5/5,96	151,5/5,96
A2	35	35	35	58,5	35	35	35	58,5	40,5/1,59	40,5/1,59	40,5/1,59	75,5/2,97
B1	75	123,5	147	147	75	123,5	147	147	111,5/4,39	146,5/5,77	181,5/7,15	181,5/7,15
B2	50	50	50	73,5	50	50	50	73,5	70,5/2,78	70,5/2,78	70,5/2,78	105,5/4,15

Clearances per UL98

Minimum enclosure size
or equivalent volume






Height	Width	Depth
250 mm	200 mm	150 mm
10 in	8 in	6 in

A	0
B	13 mm 0.5 in
D	13 mm 0.5 in


Cable size	
AWG	C
14-8	38 mm 1.5 in
6	51 mm 2 in
4	100 mm 4 in

OS32G-63G

OTZT1_



Label



OS_N3 & OXN 250

1 2 3 4 5 6

2,5 mm 0,1 in

2 Nm
18 lb.in

Cabling

1 2

12 mm
0,47 in

2,5...6 mm²: 3 Nm
10...25 mm²: 4 Nm
14...10 AWG: 30 lb.in
8...4 AWG: 35 lb.in

OFS_

OFS_+OS32G-63G

OS32G-63G_03_04
OS60GJ03_04

1 2 3 4 5 6 7


1x1,5 mm²
0,4 Nm
1x15 AWG
3.5 lb.in

OFMZ 2
2,8 x 0,8 mm
0,11 x 0,03 in


OS32G-63G_12_22
OS60GJ12_22

OS32G-63G




OEA28_




Fuse handling







OSV_

[illegible]

OA_




NO: OA1G10
NC: OA3G01




OS32G-63G


DPM_




A04276



OSGZD1



A04274



OS32G-63G



ABB Oy
Low Voltage Switches
P.O. Box 622 Telephone +358 10 2211
FIN-65101 Vaasa, Finland Telefax +358 10 224 5708